




BEEELITE®

Brand of

D GROUP



Manufacturer of 100% recyclable honeycomb paper boards



BEELITE



PRINT



CUT



DISPLAY

- We obtain to become your **BEST** supplier
- In **SERVICE** we make the difference!
- We value **Quality & Disposability** very high and are **eager** to go the extra mile...

- We have the knowledge and passion to supply a good quality product at the correct price
- We create a multipurpose application product
 - Sign /POS materials
 - Display/ Bilboards
 - Stands & Furniture

- We comment on the clients individual needs to make sure his market strategy fits together with our products
- We build on a partnership to create a good win-win situation for You, Your clients and us.



STRONG
LIGHT
ECO
FLAT


MILLIONS OF YEARS
NATURE DEVELOPED
THE HONEYCOMB





STRONG
LIGHT
ECO
FLAT

- ✓ **MINIMAL MATERIAL** MAXIMUM STRENGTH
- ✓ **RESISTANT** UP TO 50 000 KG / M²
- ✓ **23 % LIGHTER** THAN MOST





STRONG
LIGHT
ECO
FLAT

- ✓ **ECO** Friendly production
- ✓ **ECO** Top Layers and CORE
- ✓ **LIGHT = LESS CO2** In Production and transport





STRONG
LIGHT
ECO!
FLAT

BEEELITE IS THE MOST **ECO**
MEDIA -AND CONSTRUCTION
BOARD.

SUPERIOR TO MOST OF THE
INDOOR FOAM-BOARD AND
COMPOSITES






STRONG
LIGHT
ECO
FLAT

- ✓ **BOARD THICKNESS**
- ✓ **< 0,5 MM (on 1600 X 3000)**
- ✓ **SURFACE VARIATION + 0,2 MM**





Beelite's raw materials:


- Paper: FSC approved
- Glue: water / vinyl based

Beelite is 100% recyclable!




Core production

on a high speed core machine for 6 rolls
glue lines are applied to the paper



Board production






sustainable cartonboards

BEEELITE®




CUT AND PRINT TESTING

BEEELITE




How to convert Beelite

Slit-score




- ▶ 80% cut
- ▶ to make corners

Reversed slit-score




- ▶ 80% cut from both sides
- ▶ to make corners

V-notch



- ▶ 15° / 30° / 45° cut
- ▶ to make corners
- ▶ max. thickness 20 mm

Peel-off



- ▶ remove top layer
- ▶ to make bends
- ▶ for visual aspects
- ▶ has to be done manually



standard measurements		1200 x 2400	1600 x 2400	1600 x 3000
2D Brown	10mm	X	X	X
2D Brown	16mm	X	X	X
2D Brown	25mm			X
2D Sign	10mm	X	X	X
2D Sign	16mm	X	X	X
3D Display	10mm	X	X	X
3D Display	16mm	X	X	X

- ▶ Fireretardent Certificat
- ▶ MOQ = 1 Pallet
- ▶ Standard items out of stock
- ▶ Special Measurements for projects available on demand
- ▶ < 1600 x 7000
- ▶ < 10mm – 500mm

	2D-Brown	2D-Sign	3D-Display
Application	Sign Deco Floor Displays	Sign Deco Floor Displays	Product Display (production)
Weight	1,50 kg/m ²	1,50 kg/m ²	1,70 kg/m ²
Paper	400 gr/m ²	400 gr/m ²	500 gr/m ²
Structure	10mm	10mm	8mm
Compression resistance	25 tons/m ²	25 tons/m ²	50 tons/m ²
V-notch	-	-	++
Screwing	-	-	+



PRINT
PARTNERS

PLOT
PARTNERS

LAMINATE
PARTNERS

swissprint

AGFA 

ESKO 

 durst

Canon

Elitron 


FILMOLUX
BENELUX

Mimaki

FUJIFILM

ZÜND 
swiss cutting systems

MUTOH

efi






Board type: 10 & 16 mm
Description: Short screw
Length: 30 mm
Top diameter: 13,8 mm
Top type: cross
Material: PC transparent

Board type: 10 & 16 mm
Description: Long screw
Length: 55 mm
Top diameter: 15 mm
Top type: cross
Material: PC transparent



How we pack Beelite




Full pallets

boards stacked and protected

Quantity/pallet


10mm = 100 pcs/pallet

16mm = 62 pcs/pallet




Beelite is an organic, recyclable, natural paper product that needs to be thoroughly “dry” and “warm” before printing, so that you get the best possible printing result. Therefore, please follow these guidelines while storing Beelite and before printing on Beelite.

Storage & handling instructions




Stack max. 2 pallets high.
Always put the protection plate on top of the lower pallet.




Remove packaging at least 36h
before use.



**3000 X 1200
12 PALLETS**



**1600 X 3000
8 PALLETS**



**1200 X 2400
10 PALLETS**

**1600 X 3000
4 PALLETS**



**1600 X 2400
16 PALLETS**

**SIDE OPENING
AND PICK UP**



- ✓ **A UNIQUE MATERIAL FOR THE SIGN & DISPLAY INDUSTRY**
- ✓ **THE FULLY RECYCLABLE 'GREEN CHOICE'**
- ✓ **FROM RENEWABLE FOREST RESOURCES**
- ✓ **ESPECIALLY DEVELOPED FOR PRINTING AND CUTTING INDUSTRY**
- ✓ **STATE OF THE ART FOR HIGH DEMANDING 3D APPLICATIONS**

Beelite for visual communication & retail





for interior applications





for interior applications





for trade shows & exhibitions





for trade shows & exhibitions







Beelite for trade shows & exhibitions





Nyomdaker Kft.
H-1097 Budapest, Táblás u. 36-38.

Telefon: +36 1 215-3586 | Fax: +36 1 476-0260
E-mail: nyomdaker@nyomdaker.hu

Hopp Edit
üzletágvezető
Műanyag táblák, reklámhordozó anyagok
Mobil: +36 20 320 3920
E-mail: hedit@nyomdaker.hu

